

Centre plate (snap-on fixing) for modular jack sockets, 1-gang, UMA-CAT6A, RADIAL, Panduit, Assmann, thermoplastic, AS/A range, white



Reference number:	A 1569-1 WE WW
EAN/GTIN:	4011377177352
Color:	white
Material:	thermoplastic

- ☐ Individual colour printing possible
- ☐ Individual laser engraving possible

Thermoplastic (breakproof) high-gloss

(with supporting frame, screw fixing only)

shutter with spring

inner dimensions of keystone mount 15,3 x 19,3 mm

for universal modular jack socket ref.-no.: UMA-CAT6A-25

for 1 socket

for modular jack sockets

RADIAL:

modular jack unshielded 6P6C, RJ 12, Cat. 4 (ref.-no. R280MOD804)

modular jack unshielded 8P8C, RJ 45, Cat. 4 (ref.-no. R280MOD805)

modular jack unshielded 8P8C, RJ 45, Cat. 5e (ref.-no. R280MOD807)

Panduit:

keystone jack KJ 88..

keystone jack KJ 588..

Assmann:


module DN-93612 Cat. 6A, shielded, Keystone

module DN-93614


SCHRACK

HSPMRJ6G1A, HSEMRJ6GBA, HSEMRJ6GBS, HSEMRJ6GWA, HSEMRJ6GWS, HSEMRJ6UWS

Dimensions



Assembly



1



$\leq 3 \text{ mm}$



2

