Low Profile Flexible G2 Ø75 with driver

7 year warranty







Technical data

Voltage	220-240 VAC 50/60 Hz
System effect	6W
Colour rendering	CRI>95
Expected lifespan	50,000 hours L70 B50
Dimmable, how	Yes, trailing edge
Flicker free	Yes, according to the latest Ecodesign / ErP directive
SVM <0.4	Yes
PstLM <1	Yes
SDCM	≤3
Beam angle	36°
Cut out	Ø75 mm
Installation height	33 mm
Exterior dimension	Ø87 mm
Dimension driver	L: 94 mm, B: 44 mm, H: 23 mm
Tilt angle	30°
Possibility of through wiring - quantity	Yes, 2 x 3G1.5 mm² - 30 pcs.
Operating temperature	-20° - +45°
Storage temperature	-40° - +80°
IP rating, front / back	IP44 / IP20 (is intended for installation in areas 1 and 2)
Insulation class	Class II
Material	Aluminium, plastic
Approvals	CE

Product information

- Approved for installation directly in the insulation and flammable materials
- For indoor and outdoor use
- The downlight can be driven either by a stand-alone driver or by Nordtronic's 25W driver (25W or up to 5 pcs. Ø75 mm downlight)
- Replaceable light source
- High colour rendering index – CRI>95
- Flicker free according to the latest Ecodesign / ErP directive
- Intended for installation in areas 1 and 2
- Quick and easy mounting with springs
- Low installation height – 33 mm
- 3-pole leavers in the connector box
- Approved for through wiring – 2 x 3G1.5 mm² - 30 pcs.
- Possibility of mounting with cable or 16 mm flex tube
- 7 years product warranty
- Up to 10 years surface warranty



NB: Always use cables of a type approved for permanent installation according to the current legislation. If the cables are in contact with the lamp cover, use cables with an operating temperature of at least 70° C.

Please refer to our website nordtronic.com, where you can find product information, documents, dimming overview etc.

All rights reserved by Nordtronic A/S | Silovej 8, 12th floor | DK-9900 Frederikshavn | +45 7020 9531
Subject to printing errors.

Low Profile Flexible G2 Ø75 with driver

7 year warranty







Low Profile Flexible G2 Ø75 with driver | 2700K | 440lm

Item no.	EAN no.	Design, colour	Light source		Environment	Warranty, product / surface
35711012	5704629003002	○ matt white (RAL 9010)	5W LED, Item no. 98121752	F	indoor and outdoor	7 years / 10 years
35711092	5704629003125	○ matt black (RAL 9005)	5W LED, Item no. 98121752	F	indoor and outdoor	7 years / 10 years
35711022	5704629003040	○ brushed alu	5W LED, Item no. 98121752	F	indoor	7 years
35711032	5704629005167	□ matt white (RAL 9010)	5W LED, Item no. 98121752	F	indoor and outdoor	7 years / 10 years
35711042	5704629005204	□ brushed alu	5W LED, Item no. 98121752	F	indoor	7 years
35711062	5704629003088	○ copper	5W LED, Item no. 98121752	F	indoor	7 years
35711522	5704629003194	○ brushed alu	5W LED, Item no. 98121752	F	outdoor	7 years
35711562	5704629003248	○ copper	5W LED, Item no. 98121752	F	outdoor	7 years

Low Profile Flexible G2 Ø75 with driver | 3000K | 460lm

Item no.	EAN no.	Design, colour	Light source		Environment	Warranty, product / surface
35711013	5704629003019	○ matt white (RAL 9010)	5W LED, Item no. 98121753	E	indoor and outdoor	7 years / 10 years
35711093	5704629003132	○ matt black (RAL 9005)	5W LED, Item no. 98121753	E	indoor and outdoor	7 years / 10 years
35711023	5704629003057	○ brushed alu	5W LED, Item no. 98121753	E	indoor	7 years
35711033	5704629005174	□ matt white (RAL 9010)	5W LED, Item no. 98121753	E	indoor and outdoor	7 years / 10 years
35711043	5704629005211	□ brushed alu	5W LED, Item no. 98121753	E	indoor	7 years
35711063	5704629003095	○ copper	5W LED, Item no. 98121753	E	indoor	7 years
35711523	5704629003200	○ brushed alu	5W LED, Item no. 98121753	E	outdoor	7 years
35711563	5704629003255	○ copper	5W LED, Item no. 98121753	E	outdoor	7 years

All rights reserved by Nordtronic A/S | Silovej 8, 12th floor | DK-9900 Frederikshavn | +45 7020 9531
Subject to printing errors.

Low Profile Flexible G2 Ø75 with driver

7 year warranty









Low Profile Flexible G2 Ø75 with driver | 4000K | 520lm

Item no.	EAN no.	Design, colour	Light source		Environment	Warranty, product / surface
35711014	5704629003026	○ matt white (RAL 9010)	5W LED, Item no. 98121754	E	indoor and outdoor	7 years / 10 years
35711094	5704629003149	○ matt black (RAL 9005)	5W LED, Item no. 98121754	E	indoor and outdoor	7 years / 10 years
35711024	5704629003064	○ brushed alu	5W LED, Item no. 98121754	E	indoor	7 years
35711034	5704629005181	□ matt white (RAL 9010)	5W LED, Item no. 98121754	E	indoor and outdoor	7 years / 10 years
35711044	5704629005228	□ brushed alu	5W LED, Item no. 98121754	E	indoor	7 years
35711064	5704629003101	○ copper	5W LED, Item no. 98121754	E	indoor	7 years
35711524	5704629003217	○ brushed alu	5W LED, Item no. 98121754	E	outdoor	7 years
35711564	5704629003262	○ copper	5W LED, Item no. 98121754	E	outdoor	7 years

Low Profile Flexible G2 Ø75 with driver | dim to warm | 1800-3000K | 320lm

Item no.	EAN no.	Design, colour	Light source		Environment	Warranty, product / surface
35711017	5704629003033	○ matt white (RAL 9010)	5W LED, Item no. 98121757	F	indoor and outdoor	7 years / 10 years
35711097	5704629003156	○ matt black (RAL 9005)	5W LED, Item no. 98121757	F	indoor and outdoor	7 years / 10 years
35711027	5704629003071	○ brushed alu	5W LED, Item no. 98121757	F	indoor	7 years
35711037	5704629005198	□ matt white (RAL 9010)	5W LED, Item no. 98121757	F	indoor and outdoor	7 years / 10 years
35711047	5704629005235	□ brushed alu	5W LED, Item no. 98121757	F	indoor	7 years
35711067	5704629003118	○ copper	5W LED, Item no. 98121757	F	indoor	7 years

All rights reserved by Nordtronic A/S | Silovej 8, 12th floor | DK-9900 Frederikshavn | +45 7020 9531
Subject to printing errors.