Specifications



Eaton 248289

Eaton Distribution board accessory, Undervoltage release, 230 V, non-delayed, 1HP, 1-2x2.5 mm²

General specifications	
PRODUCT NAME	Eaton distribution board accessory
CATALOG NUMBER	248289
MODEL CODE	Z-USA/230
EAN	4015082482893
PRODUCT LENGTH/DEPTH	80 mm
PRODUCT HEIGHT	65.5 mm
PRODUCT WIDTH	17.5 mm
PRODUCT WEIGHT	0.104 kg
COMPLIANCES	RoHS conform
CERTIFICATIONS	EN45545-2 IEC 61373

Product specifications

USED WITH	Undervoltage releases Accessory for miniature circuit breaker Accessory
ACCESSORY/SPARE PART TYPE	Undervoltage release
MOUNTING METHOD	For fitting on left to: FAZ
ADDITIONAL EQUIPMENT REQUIRED	Under voltage coil
AMBIENT OPERATING TEMPERATURE - MAX	40 °C
AMBIENT OPERATING TEMPERATURE - MIN	-35 °C
ASSEMBLY WIDTH	1
NUMBER OF CONTACTS (CHANGE-OVER CONTACTS)	0
NUMBER OF CONTACTS (NORMALLY CLOSED CONTACTS)	1
NUMBER OF CONTACTS (NORMALLY OPEN CONTACTS)	1
NUMBER OF POLES AT MAIN CONTACT UNIT - MAX	1
NUMBER OF SWITCHES (FAULT SIGNAL)	0
VOLTAGE TYPE	AC
FUNCTIONS	Under voltage coil
DEVICE FITTING	Universal
TYPE	• Accessory • Accessory for miniature circuit breaker
APPLICATION	Switchgear for industrial and advanced commercial applications
RATED OPERATIONAL VOLTAGE (UE) - MAX	230 V
TRIPPING TIME	Non-delayed

Resources

DECLARATIONS OF CONFORMITY	eaton-distribution-parts-declaration-of-conformity-eu250443en.pdf eaton-distribution-parts-declaration-of-conformity-uk251483en.pdf
DRAWINGS	eaton-dimensions-mas-usa.eps
ECAD MODEL	ETN.Z-USA_230.edz
INSTALLATION INSTRUCTIONS	IL019152ZU
MCAD MODEL	z_usa_230.stp eaton-auxiliary-switches-mcad-drawings-faz-xua-usa-usd.dwg
WIRING DIAGRAMS	eaton-wiring-diagram-us.jpg

PROJECT NAME:	
PROJECT NUMBER:	
PREPARED BY:	
DATE:	

Eaton Corporation plc Eaton House
30 Pembroke Road
Dublin 4, Ireland
Eaton.com

© 2026 Eaton. All Rights Reserved.

Follow us on social media to get the latest product and support information.