wöhner

# CrossLink touch-safe protection cover module (01434000A)



The picture may show a similar product.

## Description

Part No.: **01434** 000A
CrossLink 185Power
CrossLink touch-safe protection cover module
100 mm wide
100 x 540
for busbars 30, 40, 60, 80, 100, 120 x 10

**System**
185Power

**Product group** 06
**Subgroup** 27

**pack size** 4
**EAN** 4021267014346


Changes in the interest of developments and technical progress are reserved.
Wöhner GmbH & Co. KG, Mönchrödener Straße 10, 96472 Rödental, Germany, Tel. +49 9563 751-0

| | |
|---|---|
| **ECLASS 14.0** | 27142190 |
| **ETIM 5.0** | EC002498 |
| **ETIM 8.0** | EC002498 |
| **ETIM 10.0** | EC002498 |

# Approvals

**Standards**
IEC 61439-1:2020
UL 508

**Approvals**
UL




for UL feeder circuits >250V

type number: CL185-A100
EAC Type: CO-S

UL file: E123577, UL category (for USA): NMTR https://www.ul.com
UL file: E123577, UL category (for Canada): NMTR7 https://www.ul.com
CCC approval: no certification required

# Technical data

**Details IEC**
Standards
IEC 61439-1:2020

the current carrying capacity of the busbar system is reduced by factor 0,94 when the shock protection module is used,
the factor changes to 0,88 when the base plates of the shrouding system (rear protection) are added

**Details UL**
Standards
UL 508

for UL feeder circuits >250V

**Mechanical data**

W x H x D: 100 x 556 x 49
weight: 34.0 kg/100
for busbars: 30, 40, 60, 80, 100, 120 x 10

front degree of protection: IP20

**Material properties**

halogen-free: Yes

## Application notes

not applicable, since the product does not contain or carry any live parts or is not stressed in the case of a short-circuit
for UL feeder circuits >250V

## Accessories

covers



**01435** 000A
CrossLink 185Power
front cover IP40
for CrossLink covers
100 mm wide, 1-pole



**01440** 000A
completion section
499 mm long
499 x 16



**01444** 000A
completion section
649 mm long
649 x 16

https://pim.woehner.de/EN/EN/1000157954