Specifications



Photo is representative

Eaton 288945

Eaton Distribution parts, Fuse-link, D02, 50A, 400 V, gL/gG

General specifications	
PRODUCT NAME	Eaton distribution board accessory
CATALOG NUMBER	288945
MODEL CODE	Z-D02/SE-50
EAN	4015082889456
PRODUCT LENGTH/DEPTH	36 mm
PRODUCT HEIGHT	16 mm
PRODUCT WIDTH	16 mm
PRODUCT WEIGHT	0.014 kg
COMPLIANCES	RoHS conform
CERTIFICATIONS	DIN VDE 0636 DIN 49522

Product specifications

USED WITH	Fuse links
AMPERAGE RATING	50 A
FRAME	D02
UTILIZATION CATEGORY	gL/gG (cable protection/equipment protection) gG (gL)
EQUIPMENT HEAT DISSIPATION, CURRENT-DEPENDENT	4 W
COLOR	White
AMBIENT OPERATING TEMPERATURE - MAX	55 °C
AMBIENT OPERATING TEMPERATURE - MIN	-25 °C
HEAT DISSIPATION CAPACITY	0 W
HEAT DISSIPATION PER POLE, CURRENT-DEPENDENT	0 W
RATED OPERATIONAL CURRENT FOR SPECIFIED HEAT DISSIPATION (IN)	50 A
RATED OPERATIONAL VOLTAGE (UE) - MAX	400 V
RATED UNINTERRUPTED CURRENT (IU)	50 A
STATIC HEAT DISSIPATION, NON-CURRENT-DEPENDENT	0 W
VOLTAGE RATING AT DC	220 V DC
FUNCTIONS	Accessory
FUSE CARTRIDGE	D02
VOLTAGE RATING	400 V AC
TYPE	• Accessory • Fuse links • Fuse material
SPECIAL FEATURES	• Snap-fit on DIN rail • in a plastic box in the colour of the indicator

Resources

CHARACTERISTIC CURVE	eaton-rccb-characteristic-curve-1220dia-6.eps eaton-rccb-characteristic-curve-1220dia-7.eps
DECLARATIONS OF CONFORMITY	eaton-distribution-parts-declaration-of-conformity-eu250199en.pdf

PROJECT NAME:	
PROJECT NUMBER:	
PREPARED BY:	
DATE:	

Eaton Corporation plc Eaton House
30 Pembroke Road
Dublin 4, Ireland
Eaton.com

© 2026 Eaton. All Rights Reserved.

Follow us on social media to get the latest product and support information.