Specifications



Photo is representative

Eaton 288935

Eaton Distribution parts, Fuse-link, D01, 4A, 400 V, gL/gG

General specifications	
PRODUCT NAME	Eaton distribution board accessory
CATALOG NUMBER	288935
MODEL CODE	Z-D01/SE-4
EAN	4015082889357
PRODUCT LENGTH/DEPTH	36 mm
PRODUCT HEIGHT	11 mm
PRODUCT WIDTH	11 mm
PRODUCT WEIGHT	6 g
COMPLIANCES	RoHS conform
CERTIFICATIONS	DIN 49522 DIN VDE 0636

Product specifications

USED WITH	Fuse links Fuse material Accessory
AMPERAGE RATING	4 A
FRAME	D01
UTILIZATION CATEGORY	gL/gG (cable protection/equipment protection) gG (gL)
EQUIPMENT HEAT DISSIPATION, CURRENT-DEPENDENT	1.2 W
COLOR	Brown
AMBIENT OPERATING TEMPERATURE - MAX	55 °C
AMBIENT OPERATING TEMPERATURE - MIN	-25 °C
HEAT DISSIPATION CAPACITY	0 W
HEAT DISSIPATION PER POLE, CURRENT-DEPENDENT	0 W
RATED OPERATIONAL CURRENT FOR SPECIFIED HEAT DISSIPATION (IN)	4 A
RATED OPERATIONAL VOLTAGE (UE) - MAX	400 V
RATED UNINTERRUPTED CURRENT (IU)	4 A
STATIC HEAT DISSIPATION, NON-CURRENT-DEPENDENT	0 W
VOLTAGE RATING AT DC	220 V DC
FUNCTIONS	Accessory
FUSE CARTRIDGE	D01
VOLTAGE RATING	400 V AC
TYPE	• Accessory • Fuse links • Fuse material
SPECIAL FEATURES	• Snap-fit on DIN rail • in a plastic box in the colour of the indicator

Resources

CHARACTERISTIC CURVE	eaton-rccb-characteristic-curve-1220dia-6.eps eaton-rccb-characteristic-curve-1220dia-7.eps
DECLARATIONS OF CONFORMITY	eaton-distribution-parts-declaration-of-conformity-eu250199en.pdf

PROJECT NAME:	
PROJECT NUMBER:	
PREPARED BY:	
DATE:	

Eaton Corporation plc Eaton House
30 Pembroke Road
Dublin 4, Ireland
Eaton.com

© 2026 Eaton. All Rights Reserved.

Follow us on social media to get the latest product and support information.