Specifications



Photo is representative

Eaton 288937

Eaton Distribution parts, Fuse-link, D01, 10A, 400 V, gL/gG

General specifications	
PRODUCT NAME	Eaton distribution board accessory
CATALOG NUMBER	288937
MODEL CODE	Z-D01/SE-10
EAN	4015082889371
PRODUCT LENGTH/DEPTH	36 mm
PRODUCT HEIGHT	11 mm
PRODUCT WIDTH	11 mm
PRODUCT WEIGHT	6.3 g
COMPLIANCES	RoHS conform
CERTIFICATIONS	IEC Rated EN Listed DIN 49522 DIN VDE 0636

Product specifications

USED WITH	Fuse links Accessory Fuse material
AMPERAGE RATING	10 A
FRAME	D01
UTILIZATION CATEGORY	gG (gL) gL/gG (cable protection/equipment protection)
EQUIPMENT HEAT DISSIPATION, CURRENT-DEPENDENT	1.1 W
COLOR	Red
AMBIENT OPERATING TEMPERATURE - MAX	55 °C
AMBIENT OPERATING TEMPERATURE - MIN	-25 °C
HEAT DISSIPATION CAPACITY	0 W
HEAT DISSIPATION PER POLE, CURRENT-DEPENDENT	0 W
RATED OPERATIONAL CURRENT FOR SPECIFIED HEAT DISSIPATION (IN)	10 A
RATED OPERATIONAL VOLTAGE (UE) - MAX	400 V
RATED UNINTERRUPTED CURRENT (IU)	10 A
STATIC HEAT DISSIPATION, NON-CURRENT-DEPENDENT	0 W
VOLTAGE RATING AT DC	220 V DC
FUNCTIONS	Accessory
FUSE CARTRIDGE	D01
VOLTAGE RATING	400 V AC
TYPE	• Accessory • Fuse links • Fuse material
SPECIAL FEATURES	• Snap-fit on DIN rail • in a plastic box in the colour of the indicator

Resources

CHARACTERISTIC CURVE	eaton-rccb-characteristic-curve-1220dia-7.eps eaton-rccb-characteristic-curve-1220dia-6.eps
DECLARATIONS OF CONFORMITY	eaton-distribution-parts-declaration-of-conformity-eu250199en.pdf

PROJECT NAME:	
PROJECT NUMBER:	
PREPARED BY:	
DATE:	

Eaton Corporation plc Eaton House
30 Pembroke Road
Dublin 4, Ireland
Eaton.com

© 2026 Eaton. All Rights Reserved.

Follow us on social media to get the latest product and support information.