Product Information

97 33 02

KNIPEX MultiCrimp®

Crimping Pliers with changer magazine



- Universal, high-performance crimping pliers of professional quality
- Just one tool to cover standard crimping applications
- Quick and easy change of crimping dies without additional tools

- Sorted and protected storage of the interchangeable dies in a round magazine
- Comfortable, powerful crimping pliers in professional quality
- Same reliable crimping results as with fixed crimping dies
- Consistently high crimping quality due to precision dies and ratchet mechanism (unlockable)
- The crimping dies 97 49 xx of crimping system pliers 97 43 200 are not compatible with the KNIPEX MultiCrimp 97 33 01/02/03

General	
Part No.	97 33 02
EAN	4003773066934
Pliers	burnished
Handles	with multi-component handles
Weight	870 g
Dimensions	250 x 75 x 28 mm
REACH compliant	contains SVHC
RoHS compliant	not applicable

Technical details	
Application	non-insulated open plug type connectors - plug width 4.8 + 6.3 mm
Capacity in square millimetres	0.5 – 6.0 mm²
Number of crimp profiles	5
AWG	20 – 10

Technical changes and errors excepted

KNIPEX Quality – Made in Germany











Crimp System Pliers MC4® & MC4® Evo 2 – Page 31



Part No.	EAN 4003773-	↔ mm		Head		Application	Capacity mm²	AWG
97 43 66	087779	200		burnished		MC4® / MC4® Evo 2	2.5 – 6	14 – 10

Crimp System Pliers MC4® Evo 2 – Page 31



Part No.	EAN 4003773-	↔ mm		Head		Application	Capacity mm²	AWG
97 43 66 EVO	090014	200		burnished		MC4® Evo 2	4 – 10	12 – 8

Set of Mounting Tools – Page 31



Part No.	EAN 4003773-	↔ mm	Application
97 49 66 2	074106	115	MC4® housing

KNIPEX MultiCrimp PATENTED – Page 32



Part No.	EAN 4003773-	↔ mm		Pliers	Handles		Application	Capacity mm²	AWG
97 33 LE	092643	250		burnished			KNIPEX MultiCrimp incl. magazine, empty		
97 33 01	066927	250		burnished			KNIPEX MultiCrimp incl. magazine with 3 interchangeable inserts		
							non-insulated, open flat plug connector (plug width 4.8 + 6.3 mm)	0.5 – 6	20 – 10
							insulated connectors	0.5 – 6	20 – 10
							wire ferrules	0.25 – 6	24 – 10
97 33 02	066934	250		burnished			KNIPEX MultiCrimp incl. magazine with 5 interchangeable inserts		
							non-insulated, open plug type connectors (4.8 + 6.3 mm connector width)	0.5 – 6	20 – 10
							insulated connectors	0.5 – 6	20 – 10
							wire ferrules	0.25 – 6	24 – 10
							wire ferrules	10 / 16 / 25	8 / 6 / 4
							non-insulated terminals	0.5 – 10	20 – 8
97 33 03	092599	250		burnished			KNIPEX MultiCrimp incl. magazine with 3 interchangeable inserts		
							MC4® + MC4® Evo 2	4 / 6	12 / 10
							wire ferrules	0.25 – 6	24 – 10
							non-insulated terminals	0.5 – 10	20 – 8

97 39 05	070078	Crimping die for uninsulated, open plug type connectors (4.8 + 6.3 mm connector width)
97 39 06	070085	Crimping die for insulated cable connectors
97 39 08	070092	Crimping die for insulated + uninsulated wire ferules 0.25 – 6 mm²
97 39 09	077763	Crimping die for insulated + uninsulated wire ferules 10 / 16 / 25 mm²
97 39 13	070108	Crimping die for uninsulated cable connectors
97 39 42	092582	Crimping die for MC4® and MC4® Evo 2 connectors with 4 and 6 mm²
97 39 90	070061	Changer magazine, empty