

ABB WIRING ACCESSORIES, FINLAND, 1 JANUARY, 2019

# Building product declaration Byggvarudeklaration

ABB Document ID:	2TVD100350	
Document creation date:	30.9.2019	
Product group description:	Surface mounting switches	

## Revision

Modified (Date)	User (Name)	Changes done	

# Supplier/Manufacturer information

Supplier:	ABB Wiring Accessories
VAT-number:	FI07634030
Contact person:	Marie-Sofie Seger
Address:	Porvoon Sisäkehä 2, 06100, Porvoo, Finland
E-mail:	marie-sofie.seger@fi.abb.com
Phone number:	+358503357717
Company website:	http://www.installationmaterials.com

The company possesses certification in compliance with:

🖾 ISO 9001

🛛 ISO 14001

#### **Appendix:**

Appendix I: Product list

For more information please contact:

**Marie-Sofie Seger** Phone: +358 50 33 577 17 Email: marie-sofie.seger@fi.abb.com



#### Supporting documents

☑ Declaration of conformity covering the RoHS-directive (2011/65/EU).

- Environmental product declaration in accordance with EN 15804.
- Declaration of performance in line with European Construction Products Regulation (EU) no 305/2011.

### **Product information**

Products/articles included in this declaration are listed in Appendix I: Product list.

Type of product	🛛 Article	🗆 Chemical
Is the chemical composition different, for the products when applied (cured product)		
compared to the content at delivery?	🗆 Yes	🛛 No
Are the products in compliance with RoHS-Directive 2011/65/EU?	🛛 Yes	🗆 No
Are the products covered by an exemption according to RoHS-directive (2011/65/EU)?	🗆 Yes	🛛 No
Are the products in compliance with REACH Regulation (EC) No 1907/2006?	🛛 Yes	🗆 No
ARR Wiring According has a process in place to ensure compliance with the legal requ	virements	

ABB Wiring Accessories has a process in place to ensure compliance with the legal requirements.

### **Declaration of contents**

# Byggvarybedömningen

The data and declaration of contents provided in this Building product declaration is in accordance with Byggvarubedömningen's guidelines and declaration/information requirements for assessment (to the Recommended level) of product, Version 2016-1.

#### SundaHus

The data and declaration of contents provided in this Building product declaration is in accordance with SundaHus Environmnetal data guidelines and declaration/information requirements for assessment of product, Bedömningskriterier 6.1.4.

#### Nordic Swan ecolabel

The data and declaration of contents provided in this Building product declaration is in accordance with Nordic Ecolabelling guidelines and declaration/information requirements for assessment of product, Version 3.7 • 09 March 2016 – 31 December 2022.

Table 1. Contents of included substances and material in declared products/articles, on delivery. (Declaration of content in accordance with requirements)

Included material	Constituent	EG No. /CAS No.	Weight-%	Comments
	substances		(of the product)	(state any application of non- harmonized classifications)
CuSn 0,15			≤ 6,45%	
	Copper	7440-50-8	≤ 5,483%	
	Tin	7440-31-5	≤ 0,968%	
AgZnO8PW25			≤ 0,24%	
Nickel plated brass		CuZn37	≤ 8,29%	
	Copper	7440-50-8		

#### For more information please contact:

**Marie-Sofie Seger** Phone: +358 50 33 577 17 Email: marie-sofie.seger@fi.abb.com



	Zinc	7440-66-6		
	Nickel	7440-02-0		
Nickel plated brass		CuZn40Pb2	≤1,62%	
	Copper	7440-50-8		
	Zinc	7440-66-6		
	Nickel	7440-02-0		
Polycarbonate PC		24936-68-3	≤ 69,92%	Halogen free
	Bisphenol A	80-05-7		
	Phosgene	75-44-5		
Polyamide 6 GF30			≤ 5,38%	Halogen free
	Aminocapronacid	60-32-2	≤ 3,766%	
	Glass fiber	65997-17-3	≤1,614%	
Polyamide 66 GF30			≤1,08%	Halogen free
	Aminocapronacid	60-32-2	≤ 0,756%	
	Glass fiber	65997-17-3	≤ 0,324%	
Polyamide 6 GF20			≤ 12,95%	Halogen free
	Aminocapronacid	60-32-2	≤10,36%	
	Glass fiber	65997-17-3	≤ 2,59%	
Polycarbonate GF10			≤ 8,42%	Halogen free
	Bisphenol A	80-05-7		
	Phosgene	75-44-5		
	Glass fiber	65997-17-3	≤ 0,842%	
Fe		7439-89-6	≤ 0,44%	
Stainless steel		X9CrNi18-8, 1.4310	≤ 2,90%	
	Carbon	7440-44-0		
	Chrome	7440-47-3		
	Nickel	7440-02-0		

# Table 2. Please declare if the product(s) contain the following substance group/substance

Arsenic and its compounds	🗆 Yes	🛛 No
Brominated flame retardants	🗆 Yes	🛛 No
PFOA (perfluoroctaneacids)	🗆 Yes	🖾 No
PFOS (perfluorooctane sulfonate)	🗆 Yes	🛛 No
Organotin compounds	🗆 Yes	🛛 No
Biocidal product applied on products (surface treatments) to provide a disinfectant or anti-bacterial effect.	🗆 Yes	⊠ No
Medium chain chlorinated paraffins (C14-C17)	🗆 Yes	⊠ No

Nanomaterials

For more information please contact:

**Marie-Sofie Seger** Phone: +358 50 33 577 17 Email: marie-sofie.seger@fi.abb.com



to achieve a specific f	tain any nanomaterial that has bee function?	in purposeruny audeu	🗆 Yes	
<i>If yes,</i> specify the mat				
ecycling				
Does the product con	tain any recycled material?		🗆 Yes	⊠ No
f Yes, specify in the ma	aterial in Table 3.			
Table 3. List of recycled	I material included in the product.			
Material	Percentage (%)	Percentage (%)	Comments	
	of the recycled material	of the recycled		
	that has not reached	material that has		
	the consumer level,	reached the		
	such as production	consumer level (post-		
	waste, etc. (pre-	consumer)		
	consumer)			
Production				
Production Energy efficiency				
Energy efficiency	been taken to minimize the energy	consumption in	⊠ Yes	□ No
nergy efficiency Has an active effort b production?		consumption in		
nergy efficiency Has an active effort b		consumption in	ABB WA condu	icts an ongoing
Energy efficiency Has an active effort b production?		consumption in	ABB WA condu	icts an ongoing
Energy efficiency Has an active effort b production? <i>If yes, describe the ty</i>	pe of efforts made:		ABB WA condu optimization o to minimize er	ucts an ongoing of production in order nergy consumption.
inergy efficiency Has an active effort b production? <i>If yes, describe the ty</i> Has an active choice		ty supplier, in order to	ABB WA condu	icts an ongoing of production in order
inergy efficiency Has an active effort b production? <i>If yes, describe the ty</i> Has an active choice promote electricity p	<i>pe of efforts made:</i> been made, regarding the electricit production from renewable energy s	ty supplier, in order to sources?	ABB WA conductory optimization of to minimize en Yes	ucts an ongoing of production in orden nergy consumption.
Has an active effort to production? <i>If yes, describe the ty</i> Has an active choice promote electricity p <i>Describe the type of d</i>	pe of efforts made: been made, regarding the electricit	ty supplier, in order to sources? y stemming from the	ABB WA conductory optimization of to minimize en W Yes ABB Wiring Ac	ucts an ongoing of production in order nergy consumption.
Energy efficiency Has an active effort to production? If yes, describe the ty, Has an active choice promote electricity p Describe the type of a renewable source, ho	pe of efforts made: been made, regarding the electricit production from renewable energy s energy source, percentage of energ,	ty supplier, in order to sources? y stemming from the plied, electricity	ABB WA conductory optimization of to minimize en W Yes ABB Wiring Accelectricity from	icts an ongoing of production in order nergy consumption. No cessories in buying
Energy efficiency Has an active effort to production? If yes, describe the ty, Has an active choice promote electricity p Describe the type of a renewable source, ho	pe of efforts made: been made, regarding the electricit production from renewable energy energy source, percentage of energ, w long the agreement has been app	ty supplier, in order to sources? y stemming from the plied, electricity	ABB WA conductory optimization of to minimize en Yes ABB Wiring Ac electricity from supplier, Porve	Icts an ongoing of production in order nergy consumption. □ No cessories in buying m a local energy
Energy efficiency Has an active effort to production? If yes, describe the ty, Has an active choice promote electricity p Describe the type of a renewable source, ho	pe of efforts made: been made, regarding the electricit production from renewable energy energy source, percentage of energ, w long the agreement has been app	ty supplier, in order to sources? y stemming from the plied, electricity	ABB WA conductory optimization of to minimize en Ves ABB Wiring Accelectricity from supplier, Porve energy source	acts an ongoing of production in order nergy consumption. □ No cessories in buying m a local energy poon Energia, which is are 100% renewable
Energy efficiency Has an active effort to production? If yes, describe the ty, Has an active choice promote electricity p Describe the type of a renewable source, ho	pe of efforts made: been made, regarding the electricit production from renewable energy energy source, percentage of energ, w long the agreement has been app	ty supplier, in order to sources? y stemming from the plied, electricity	ABB WA conductory optimization of to minimize en W Yes ABB Wiring Accelectricity from supplier, Porve energy source The contract w	icts an ongoing of production in order nergy consumption. No cessories in buying m a local energy poon Energia, which

#### For more information please contact:

**Marie-Sofie Seger** Phone: +358 50 33 577 17 Email: marie-sofie.seger@fi.abb.com



	and wind power (30%).	and solar power
Distribution		
The packages used for the products are made from cardboard. In some cases the p	roducts are sealed	in plastic foil.
Does the supplier apply any system for returning load carriers for the product?	🛛 Yes	🗆 No
Does the supplier apply any systems involving multi-use packaging for the product	? 🗆 Yes	🛛 No
Does the supplier take back packaging for the product?	🗆 Yes	🛛 No
Is the supplier affiliated to REPA?	🛛 Yes	🗆 No
Are the products packages in compliance with Directive 94/62/EC?	🛛 Yes	🗆 No
Are the packages recyclable?	⊠ Yes	🗆 No
Enter the proportion of recycled material, included in the packaging.		
<b>Construction</b> Are there any special requirements for the product during storage?	□ Yes	🛛 No
Are there any special requirements for adjacent building products because of		
this product?	🗆 Yes	🖾 No
Use		
Are there any operating/care instructions for the product?	🗆 Yes	🛛 No
s the product energy labelled in accordance with the Energy		
Labelling Directive (2010/30/EU)?	□ Yes ⊠ Not releva	🗆 No nt
Reference service life estimated as being approx.	≥ 25 Years	
Disassembly		
Does the product require any special measures to protect health and environment during demolition/disassembly?	Yes	🖾 No
If "yes", please specify		
Waste management		
	🛛 Yes	🗆 No
s the product covered by the WEEE-directive 2012/19/EU? s energy recycling possible for all or parts of the product when it becomes waste?		

### For more information please contact:

**Marie-Sofie Seger** Phone: +358 50 33 577 17 Email: marie-sofie.seger@fi.abb.com

ABB Oy Porvoon Sisäkehä 2 FI-06100 Porvoo

Finland

5/8



57 ....

⊠ Yes The products o	□ No
🗆 Yes	🖾 No
All of the materials present in product are recyclable.	
X Yes	□ No
consideration t	the whole lifecycle.
The products a	re designed taking ir
🛛 Yes	🗆 No
	The products a consideration t

.

. . .

\_

**—** • •

. .

All statements are made after our best knowledge and based on information from our suppliers. These details places particularly no assurance (e.g.in the guarantee legal meaning).

30.9.19

MARKO UTRIAINEN , LAS MANAYER

Name, signature, title & date

For more information please contact:

**Marie-Sofie Seger** Phone: +358 50 33 577 17 Email: marie-sofie.seger@fi.abb.com



# Appendix I

# **Product list**

All products covered by the Building product declaration are presented in Table 1.

Material number	Material description	E-number	Technical description
2TKA00000133	ACA001		Push Switch
2TKA00001236	1065A4P		Switch 5, Kosti, Surface mounting
2TKA00001288	1066A4P		Switch 6, Jussi
2TKA00001598	1065A-84	1816107	Switch 5, Impressivo, 2 X-terminals, white
2TKA00001599	1065A-81	1816108	Switch 5, Impressivo, 2 X-terminals, anthracite
2TKA00001600	1065A-83	1816109	Switch 5, Impressivo, 2 X-terminals, aluminium
2TKA00001601	1066A-84	1816110	Switch 6, Impressivo, 2 X-terminals, white
2TKA00001602	1066A-81	1816111	Switch 6, Impressivo, 2 X-terminals, anthracite
2TKA00001603	1066A-83	1816112	Switch 6, Impressivo, 2 X-terminals, aluminium
2TKA00001604	1461A-84	1816113	Push switch 1, Impressivo, 2 X-terminals , white
2TKA00001605	1461A-81	1816114	Push switch 1, Impressivo, 2 X-terminals anthracite
2TKA00001606	1461A-83	1816115	Push switch 1, Impressivo, 2 X-terminals , aluminium
2TKA00001840	1062A-84	1816128	Switch 2, Impressivo, 2 X-terminals, white
2TKA00001841	1062A-81		Switch 2, Impressivo, 2 X-terminals, anthracite
2TKA00001842	1062A-83		Switch 2, Impressivo, 2 X-terminals, aluminium
2TKA00001843	10666A-84	1816131	Switch 6+6, Impressivo, no X-terminals, white
2TKA00001844	10666A-81	1816132	Switch 6+6, Impressivo, no X-terminals, anthracite
2TKA00001845	10666A-83	1816133	Switch 6+6, Impressivo, no X-terminals, aluminium
2TKA00001846	1067A-84	1816134	Switch 7, Impressivo, 2 X-terminals, white
2TKA00001847	1067A-81	1816135	Switch 7, Impressivo, 2 X-terminals, anthracite
2TKA00001848	1067A-83	1816136	Switch 7, Impressivo, 2 X-terminals, aluminium
2TKA00001849	10631A-84	1816137	Switch 1+1+1, Impressivo, 2 X-terminals, white
2TKA00001850	10631A-81	1816138	Switch 1+1+1, Impressivo, 2 X-terminals, anthracite
2TKA00001851	10631A-83	1816139	Switch 1+1+1, Impressivo, 2 X-terminals, aluminium
2TKA00002385	1066A-84P		Switch 6, Jussi, white
2TKA00002387	1065A-84P		Switch 5, Jussi, white
2TKA00002614	1062A4P		Switch 2, Jussi, surface mounting
2TKA000126G1	1061A4		Switch 1, Surface mounting
2TKA000133G1	10621A4	1817179	Switch 2+1, Jussi, Surface mounting
2TKA000136G1	1062A4	1817178	Switch 2, Jussi, Surface mounting
2TKA000137G1	1062AK4		Switch 2, Jussi, Surface mounting
2TKA000148G1	10631A4	1817176	Switch 1+1+1, Jussi, no X-terminals

For more information please contact:

**Marie-Sofie Seger** Phone: +358 50 33 577 17 Email: marie-sofie.seger@fi.abb.com



2TKA000163G1	1065A4	1817166	Switch 5, Jussi, 2 X-terminals	
2TKA000181G1	10666A4		Switch 6+6, Jussi, no X-terminals	
2TKA000190G1	1066A4	1817161	Switch 6, Jussi, 2 X-terminals	
2TKA000203G1	1067A4	1817171	Switch 7, Jussi, 2 X-terminals	
2TKA000237G1	1466AK4	1817150	Push switch 6, Jussi, N-terminal	

Table 1. Products covered by the Building product declaration.

For more information please contact:

**Marie-Sofie Seger** Phone: +358 50 33 577 17 Email: marie-sofie.seger@fi.abb.com