

Hammer drill Quattric II

The expert for the best performance
in reinforced concrete



Drill-bit head with **Power Shoulder Design**, reinforcement chamfers and wear marks.

New **Multi-Value** drill spiral with **Heavy-Duty Design-Element**.

New **Multi-Value** drill spiral with **Speed-Design-Element**.

Solid carbide metal head.

Your benefits at a glance


- Carbide head (up to $\varnothing$ 10mm) for long service life.
- Power shoulders for improved breakup performance in concrete.
- Massive main cutting edges for quick drilling progress.
- Reinforcement chamfers prevent jamming in the reinforcement.
- Centring tip for simple positioning.
- Wear mark for simple recognition of wear limit in accordance with PGM.
- Two-piece spiral for quick drilling progress and increased service life.




Recommendation




Reinforced concrete



Concrete



Solid brick



Sandlime brick



Natural stone



Solid cutting edges
increase drilling speed.

Reinforcement chamfers
prevent **jamming in the
reinforcement**.

Centring tip **facilitates
positioning** and **prevents
slipping** on smooth surfaces.


Wear mark for simple
recognition of wear limit
in accordance with PGM.

The heavy-duty design element with its
strong back width provides a structural
reinforcement of the core and **protects
against material breakdowns and
faster wear**.


The speed-design element with its
lean back side ensures **reduced
friction and fast drilling**.

Reinforced core element for
a higher service life.


Average Speed V_m^*



Service life in concrete*




Reinforcement test*



*Tests with Quattric II 10x160 in concrete C45/55 0-16 with H22SLE

Assortment



Hammer drill Quattric II

Item	Diameter	Total length (A)	Working length (B)	Option 1 Pouch			Option 2 Blister card			Option 3 Clip / Tube / Box		
	[mm]	[mm]	[mm]	Art.-No.	Contents	Packaging	Art.-No.	Contents	Packaging	Art.-No.	Contents	Packaging
Quattric II 5/50/115	5,0	115	50	—	—	—	—	—	—	549973	1	Clip
Quattric II 5/100/165	5,0	165	100	—	—	—	—	—	—	549974	1	Clip
Quattric II 5,5/50/115	5,5	115	50	—	—	—	—	—	—	549971	1	Clip
Quattric II 5,5/100/165	5,5	165	100	—	—	—	—	—	—	549972	1	Clip
Quattric II 6/50/115	6,0	115	50	—	—	—	—	—	—	549983	1	Clip
Quattric II 6/100/165	6,0	165	100	—	—	—	—	—	—	549979	1	Clip
Quattric II 6/150/215	6,0	215	150	—	—	—	—	—	—	549981	1	Clip
Quattric II 6/200/265	6,0	265	200	—	—	—	—	—	—	549985	1	Clip
Quattric II 6/250/315	6,0	315	250	—	—	—	—	—	—	549986	1	Clip
Quattric II 6,5/100/165	6,5	165	100	—	—	—	—	—	—	549975	1	Clip
Quattric II 6,5/150/215	6,5	215	150	—	—	—	—	—	—	549976	1	Clip
Quattric II 6,5/200/265	6,5	265	200	—	—	—	—	—	—	549977	1	Clip
Quattric II 6,5/250/315	6,5	315	250	—	—	—	—	—	—	549978	1	Clip
Quattric II 7/100/165	7,0	165	100	—	—	—	—	—	—	549987	1	Clip
Quattric II 8/50/115	8,0	115	50	—	—	—	—	—	—	549993	1	Clip
Quattric II 8/100/165	8,0	165	100	—	—	—	—	—	—	549988	1	Clip
Quattric II 8/150/215	8,0	215	150	—	—	—	—	—	—	549990	1	Clip
Quattric II 8/200/265	8,0	265	200	—	—	—	—	—	—	549994	1	Clip
Quattric II 8/250/315	8,0	315	250	—	—	—	—	—	—	549992	1	Clip
Quattric II 8/300/365	8,0	365	300	—	—	—	—	—	—	549995	1	Clip
Quattric II 8/400/465	8,0	465	400	—	—	—	—	—	—	549996	1	Clip
Quattric II 10/50/115	10,0	115	50	—	—	—	—	—	—	549928	1	Clip
Quattric II 10/100/165	10,0	165	100	—	—	—	—	—	—	549922	1	Clip
Quattric II 10/150/215	10,0	215	150	—	—	—	—	—	—	549925	1	Clip
Quattric II 10/200/265	10,0	265	200	—	—	—	—	—	—	549929	1	Clip
Quattric II 10/250/315	10,0	315	250	—	—	—	—	—	—	549927	1	Clip
Quattric II 10/390/455	10,0	455	390	—	—	—	—	—	—	549930	1	Clip
Quattric II 12/110/160	12,0	160	110	—	—	—	—	—	—	549932	1	Clip
Quattric II 12/160/210	12,0	210	160	—	—	—	—	—	—	549936	1	Clip
Quattric II 12/210/260	12,0	260	210	—	—	—	—	—	—	549934	1	Clip
Quattric II 12/260/310	12,0	310	260	—	—	—	—	—	—	549939	1	Clip
Quattric II 12/400/450	12,0	450	400	—	—	—	—	—	—	549935	1	Clip
Quattric II 12/950/1000	12,0	1000	950	—	—	—	—	—	—	549931	1	Clip
Quattric II 14/110/160	14,0	160	110	—	—	—	—	—	—	549941	1	Clip
Quattric II 14/160/210	14,0	210	160	—	—	—	—	—	—	549944	1	Clip
Quattric II 14/210/260	14,0	260	210	—	—	—	—	—	—	549942	1	Clip
Quattric II 14/260/310	14,0	310	260	—	—	—	—	—	—	549945	1	Clip
Quattric II 14/400/450	14,0	450	400	—	—	—	—	—	—	549943	1	Clip
Quattric II 14/950/1000	14,0	1000	950	—	—	—	—	—	—	549940	1	Clip
Quattric II 15/110/160	15,0	160	110	—	—	—	—	—	—	549946	1	Clip
Quattric II 15/160/210	15,0	210	160	—	—	—	—	—	—	549947	1	Clip
Quattric II 16/110/160	16,0	160	110	—	—	—	—	—	—	549950	1	Clip
Quattric II 16/160/210	16,0	210	160	—	—	—	—	—	—	549951	1	Clip
Quattric II 16/210/260	16,0	260	210	—	—	—	—	—	—	549952	1	Clip
Quattric II 16/260/310	16,0	310	260	—	—	—	—	—	—	549953	1	Clip
Quattric II 16/400/450	16,0	450	400	—	—	—	—	—	—	549954	1	Clip
Quattric II 16/550/600	16,0	600	550	—	—	—	—	—	—	549955	1	Clip
Quattric II 16/950/1000	16,0	1000	950	—	—	—	—	—	—	549948	1	Clip
Quattric II 18/200/250	18,0	250	200	—	—	—	—	—	—	549956	1	Tube
Quattric II 18/400/450	18,0	450	400	—	—	—	—	—	—	549957	1	Tube